

Norbrook NZ Ltd

Product Name: Loxicom Injection

Page: 1 of 5 This revision issued: September 2020

Freecall: 0800 224 022

Section 1 - Identification of Chemical Product and Company

Committee of Charles and Company

KPMG Centre, 18 Viaduct Harbour Ave

Auckland, New Zealand

Trade Name: Loxicom Injection

Product Use: A non-steroidal anti-inflammatory analgesic for use in dogs and cats.

Creation Date: July, 2020

This version issued: November, 2020 and is valid for 5 years from this date.

Poisons Information Centre: Phone 0800 764 766 from anywhere in New Zealand

Section 2 - Hazards Identification

HSNO Approval number: HSR002078

HSNO Hazard Classification: 3.1C, 6.4A, 6.8B, 9.1D

GHS PICTOGRAM:





SIGNAL WORD: Warning HAZARD STATEMENT:

H226: Flammable liquid and vapour.

H320: Causes eye irritation.

H361: Suspected of damaging fertility or the unborn child.

H401: Toxic to aquatic life.

PREVENTION:

P103: Read label before use.

P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and understood.

P210: Keep away from open flames/hot surfaces. No smoking.

P233: Keep container tightly closed.

P240: Ground/bond container and receiving equipment.

P241: Use explosion-proof electrical/ventilating/lighting equipment.

P264: Wash contacted areas thoroughly after handling.

P273: Avoid release to the environment.

P281: Use personal protective equipment as required.

RESPONSE:

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P313: IF exposed or concerned: Get medical advice/ attention.

P337 + P313: If eye irritation persists: Get medical advice/attention.

P303 +P361 +P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P370 + P378: In case of fire: Use dry chemical, foam, water fog for extinction.

STORAGE:

P405: Store locked up.

P403 + P235: Store in a well-ventilated place. Keep cool.

DISPOSAL:

P501: Dispose of product, packaging and waste at an approved landfill or equivalent facility.

Section 3 - Composition/Information on Ingredients Ingredients CAS No Concentration Meloxicam 71125-38-7 5 g/L

SAFETY DATA SHEET

Issued by: Norbrook NZ Ltd Freecall: 0800 224 022



Product Name: Loxicom Injection
Page: 2 of 5

This revision issued: September 2020

Ethanol 64-17-5 150 g/L Other ingredients secret Balance

Section 4 - First Aid Measures

General Information: For advice contact the number is 0800 764 766 in New Zealand and is available at all times. Have this SDS with you when you call.

Inhalation: If inhalation has occurred, and irritation has developed, remove to fresh air and observe until recovered. If irritation becomes painful or persists more than about 30 minutes, seek medical advice.

Skin Contact: Wash gently and thoroughly with water (use non-abrasive soap if necessary) for 5 minutes or until chemical is removed. Under running water, remove contaminated clothing, shoes and leather goods (e.g. watchbands and belts) and completely decontaminate them before reuse or discard.

Eye Contact: Immediately flush contaminated eye(s) with lukewarm, gently flowing water for 5 minutes or until the product is removed. Obtain medical advice if irritation becomes painful or lasts more than a few minutes. Take special care if exposed person is wearing contact lenses.

Ingestion: If product is swallowed or gets in mouth, do NOT induce vomiting; wash mouth with water and give some water to drink. If symptoms develop, or if in doubt contact a Poisons Information Centre or a doctor.

Section 5 - Fire Fighting Measures

Flash point: No data

Fire and Explosion Hazards: This product is classified as flammable. There is a moderate risk of an explosion from this product if commercial quantities are involved in a fire. Firefighters should take care and appropriate precautions. Any explosion will likely spread the fire to surrounding materials. Water spray may be used to cool drums involved in a fire, reducing the chances of an explosion. Vapours from this product are heavier than air and may accumulate in sumps, pits and other low-lying spaces, forming potentially explosive mixtures. They may also flash back considerable distances. Fire decomposition products from this product may be toxic if inhaled. Take appropriate protective measures.

Fire Fighting Equipment: Use self-contained breathing apparatus and full protective clothing.

Extinguishing Media: Suitable extinguishing media are carbon dioxide, dry chemical, foam, water fog.

Fire Fighting: If a significant quantity of this product is involved in a fire, call the fire brigade.

Section 6 - Accidental Release Measures

Personal Precautions: Use appropriate protective clothing.

Environmental Precautions: Prevent spilled material from entering water ways.

Methods and Materials for Containment and Cleaning up: For minor spills, clean up and absorb spills with inert material and place in waste containers, labelled for disposal. Contain in a secure location until disposal method is established. Dispose of waste safely.

In the event of a major spill, prevent spillage from entering drains or water courses. Evacuate the spill area and deny entry to unnecessary and unprotected personnel. Immediately call the Fire Brigade. Wear full protective clothing including eye/face protection. All skin areas should be covered. Eye/face protective equipment should comprise as a minimum, protective goggles. If there is a significant chance that vapours or mists are likely to build up in the cleanup area, we recommend that you use a respirator. Stop leak if safe to do so, and contain spill. Absorb onto sand, vermiculite or other suitable absorbent material. If spill is too large or if absorbent material is not available, try to create a dike to stop material spreading or going into drains or waterways. Avoid using sawdust or other combustible material. Any electrical equipment should be non-sparking. Any equipment capable of building an electrostatic charge should be electrically grounded. Sweep up and shovel or collect recoverable product into labelled containers for recycling or salvage, and dispose of promptly. Recycle containers wherever possible after careful cleaning. Refer to product label for specific instructions. After spills, wash area preventing runoff from entering drains. If a significant quantity of material enters drains, advise emergency services. Full details regarding disposal of used containers, spillage and unused material may be found on the label. Thoroughly launder protective clothing before storage or reuse. Advise laundry of nature of contamination when sending contaminated clothing to laundry.

Section 7 - Handling and Storage

Handling: Keep exposure to this product to a minimum, and minimise the quantities kept in work areas. Check Section 8 of this SDS for details of personal protective measures, and make sure that those measures are followed. The measures detailed below under "Storage" should be followed during handling in order to minimise risks to persons using the product in the workplace. Also, avoid contact or contamination of product with incompatible materials listed in Section 10.

SAFETY DATA SHEET

Issued by: Norbrook NZ Ltd Freecall: 0800 224 022



Product Name: Loxicom Injection

Page: 3 of 5

This revision issued: September 2020

Certified handler: Not applicable

Tracking: Not applicable

Storage: Store below 25°C, in a dry well ventilated area, out of direct sunlight. Keep container tightly closed. Keep

away from open flames/hot surfaces. No smoking.

Check packaging, there may be further storage instructions on the label.

Section 8 - Exposure Controls and Personal Protection

Occupational exposure limits:

SWA Exposure Limits TWA (mg/m³) STEL (mg/m³)

Ethanol 1880 not set

The ADI for Meloxicam is set at 0.0001mg/kg/day. The corresponding NOEL is set at 0.125 [LOEL]mg/kg/day. ADI means Acceptable Daily Intake; NOEL means No-observable-effect-level. Data from Australian ADI List, June 2014.

The SWA TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. The STEL (Short Term Exposure Limit) is an exposure value that may be equalled (but should not be exceeded) for no longer than 15 minutes and should not be repeated more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term "peak "is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

The following Australian Standards will provide general advice regarding safety clothing and equipment: Respiratory equipment: **AS/NZS 1715**, Protective Gloves: **AS 2161**, Occupational Protective Clothing: **AS/NZS 4501** set 2008, Industrial Eye Protection: **AS1336** and **AS/NZS 1337**, Occupational Protective Footwear: **AS/NZS2210**.

No special equipment is usually needed when occasionally handling small quantities. The following instructions are for bulk handling or where regular exposure in an occupational setting occurs without proper containment systems. **Engineering Controls:** Normal room ventilation is sufficient.

Ventilation: Make sure that the work environment remains clean and that vapours and mists are minimised.

Eye Protection: Protective glasses or goggles should be worn when this product is being used. Emergency eye wash facilities are also recommended in an area close to where this product is being used.

Skin Protection: Prevent skin contact by wearing impervious gloves, clothes and, preferably, apron. Make sure that all skin areas are covered.

Protective Material Types: We suggest that protective clothing be made from the following materials: rubber, PVC.

Respirator: In case of inadequate ventilation wear respiratory protection. Safety deluge showers should, if practical, be provided near to where this product is being handled commercially.

Section 9 - Physical and Chemical Properties

Appearance: Pale yellow liquid.
Odour: Mild ethanol odour.

Odour threshhold: No data pH: 8.5 - 8.9

Melting Point/Freezing point: No data. Liquid at normal temperatures.

Initial boiling point and boiling

range: No data
Flash point: No data
Flammability (solid, gas): No data

Upper/lower flammability or

explosive limits:No dataVapour pressure:No dataVapour density:No data

Relative density: 1.0 approximately Solubility (ies): Soluble in water

Auto-ignition temperature: No data
Decomposition temperature: No data
Viscosity: No data

SAFETY DATA SHEET

Issued by: Norbrook NZ Ltd Freecall: 0800 224 022



Product Name: Loxicom Injection

Page: 4 of 5

This revision issued: September 2020

Section 10 - Stability and Reactivity

Reactivity: This product is unlikely to react or decompose under normal storage conditions. However, if you have any doubts, contact the supplier for advice on shelf life properties.

Conditions to Avoid: Protect this product from light. Store in the closed original container in a dry, cool, well-ventilated area out of direct sunlight. Keep container tightly closed. Keep away from open flames/hot surfaces. No smoking.

Incompatibilities: Strong oxidising agents.

Fire Decomposition: Combustion forms carbon dioxide, and if incomplete, carbon monoxide and smoke. Water is also formed. Carbon monoxide poisoning produces headache, weakness, nausea, dizziness, confusion, dimness of vision, disturbance of judgment, and unconsciousness followed by coma and death.

Section 11 - Toxicological Information

Acute toxicity: No data
Aspiration hazard: No data
Respiratory irritation: No data
Skin corrosion/irritation: No data

Serious eye damage/ irritation: Ethanol: Irritating to the eye (Rabbit)

Respiratory or skin sensitisation: No data

Germ cell mutagenicity: No data

Carcinogenicity: No data
Reproductive toxicity: No data
Specific organ toxicity: No data

Narcotic effects: No data

Section 12 - Ecological Information

Aquatic: No data
Terrestrial: No data

Persistence and degradability: No data

Bioaccumulative: No data Mobility in soil: No data Other adverse effects: No data

Section 13 - Disposal Considerations

Disposal: Dispose of product, packaging and waste at an approved landfill or equivalent facility.

Section 14 - Transport Information

UN Number: 1170

UN proper shipping name: Ethanol (Ethyl alcohol)

Dangerous goods class and subsidiary risk: 3 - Flammable liquid.

UN Packaging Group: Ⅱ

Environmental hazards: Marine Pollutant.

Special precautions when transporting the substance: No information.

Transport of Dangerous Goods Pictogram:



Section 15 - Regulatory Information

HSNO Approval number: HSR002078

ACVM number: A010334

SAFETY DATA SHEET

Issued by: Norbrook NZ Ltd Freecall: 0800 224 022



Product Name: Loxicom Injection

Page: 5 of 5 This revision issued: September 2020

Section 16 - Other Information

This SDS contains only safety-related information. For other data see product literature.

Acronyms:

CAS number Chemical Abstracts Service Registry Number

SWASafe Work AustraliaTWATime Weighted AverageSTELShort Term Exposure LimitUN NumberUnited Nations Number

THIS SDS SUMMARISES OUR BEST KNOWLEDGE OF THE HEALTH AND SAFETY HAZARD INFORMATION OF THE PRODUCT AND HOW TO SAFELY HANDLE AND USE THE PRODUCT IN THE WORKPLACE. EACH USER MUST REVIEW THIS SDS IN THE CONTEXT OF HOW THE PRODUCT WILL BE HANDLED AND USED IN THE WORKPLACE.

IF CLARIFICATION OR FURTHER INFORMATION IS NEEDED TO ENSURE THAT AN APPROPRIATE RISK ASSESSMENT CAN BE MADE, THE USER SHOULD CONTACT THIS COMPANY SO WE CAN ATTEMPT TO OBTAIN ADDITIONAL INFORMATION FROM OUR SUPPLIERS OUR RESPONSIBILITY FOR PRODUCTS SOLD IS SUBJECT TO OUR STANDARD TERMS AND CONDITIONS, A COPY OF WHICH IS SENT TO OUR CUSTOMERS AND IS ALSO AVAILABLE ON REQUEST.

Please read all labels carefully before using product.

Date of preparation: November, 2020.

Issued by: Norbrook NZ Ltd Freecall: 0800 224 022